Safety Data Sheet

Issue Date: 15-Jul-2026 **Revision Date:** 15-Jul-2026 **Version** 1

1. IDENTIFICATION

Product identifier 318308
Product Name Gibbs Brand Lubricant

Other means of identification

Product Code 318308
UPC Code 8 52641 0001 3
UN/ID No UN1950

Recommended use of the chemical and restrictions on use
Recommended use Lubricant.

Details of the supplier of the safety data sheet
Manufacturer Address
Gibbs Enterprises, Inc.
1257 Southwest Martin Highway #612
Palm City, FL 34991
Phone: 561-702-6717

Emergency telephone number INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)
Manufacturer **Emergency Telephone** 800-633-9576

2. HAZARDS IDENTIFICATION

Appearance Red liquid, Aerosol Spray **Physical state** Aerosol **Odor** Petroleum

Classification

Aerosols	Category 3
Aspiration hazard	Category 1

Label elements

Signal word
Danger

Hazard statements
Pressurized container: May burst if heated.
May be fatal if swallowed and enters airways.

Precautionary Statements - Response
IF SWALLOWED: Immediately call a POISON CENTER or doctor.
Do NOT induce vomiting.

Precautionary Statements - Storage
Store locked up.

Precautionary Statements - Disposal
Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable.

Other Information
Toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical name	CAS No.	Weight-%
Petroleum Distillates, Hydrotreated light	64742-47-8	30-60
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	30-60
Naphtha, petroleum, hydrotreated light	64742-49-0	5-10
Carbon dioxide	124-38-9	1-5

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes.

Inhalation Remove to fresh air.

Ingestion Immediately call a poison center or doctor/physician. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms May be fatal if swallowed and enters airways. May be harmful in contact with skin.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical
Not determined.

Protective equipment and precautions for firefighters
As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Pressurized container: Do not pierce or burn, even after use.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Incompatible Materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Naphtha, petroleum, hydrotreated light 64742-49-0	TWA: 100 ppm pSk	-	-
Carbon dioxide 124-38-9	TWA: 5000 ppm STEL: 30000 ppm	TWA: 5000 ppm TWA: 9000 mg/m^3 (vacated) TWA: 10000 ppm (vacated) TWA: 18000 mg/m^3 (vacated) STEL: 30000 ppm (vacated) STEL: 54000 mg/m^3	TWA: 5000 ppm; TWA: 9000 mg/m^3; STEL: 30000 ppm STEL: 54000 mg/m^3 IDLH: 40000 ppm

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Aerosol		
Appearance	Red liquid, Aerosol Spray	**Odor**	Petroleum
Color	Red	**Odor Threshold**	No information available

Property	**Values**	**Remarks • Method**
pH	No information available	
Melting point / freezing point	No information available	
Initial boiling point / boiling range	No information available	
Flash point	No information available	
Evaporation rate	No information available	
Flammability (Solid, Gas)	No information available	
Flammability Limit in Air		
Upper flammability or explosive limits	No information available	
Lower flammability or explosive limits	No information available	
Vapor Pressure	> 100 Psig	
Relative vapor density	No information available	
Relative Density	0.80	
Water Solubility	Insoluble	
Solubility in other solvents	No information available	
Partition Coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Particle characteristics	No information available	
Explosive Properties	No information available	
Oxidizing Properties	No information available	

Other information

VOC Content >10%

10. STABILITY AND REACTIVITY

Reactivity
Not reactive under normal conditions.

Chemical stability
Stable under recommended storage conditions.

Possibility of hazardous reactions
None under normal processing.

Conditions to Avoid
Keep out of reach of children.

Incompatible materials
None known based on information supplied.

Hazardous decomposition products
None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact May be harmful in contact with skin.

Inhalation Do not inhale.

Ingestion Do not ingest.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum Distillates, Hydrotreated light 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	> 15 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Naphtha, petroleum, hydrotreated light 64742-49-0	> 5000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	= 73680 ppm (Rat) 4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The component below belongs to the petroleum family, which has been shown to contain carcinogenic substances depending on the level of refinement. The carcinogen classification need not apply if it can be shown that the substance contains less than 3% dimethyl sulfoxide extract.

Chemical name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	A2 - Suspected Human Carcinogen	Group 1 - Carcinogenic to humans	Known Human Carcinogen	Present
Naphtha, petroleum, hydrotreated light 64742-49-0	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans			

Aspiration hazard May be fatal if swallowed and enters airways.

Numerical measures of toxicity

The following ATE values have been calculated for the mixture

ATEmix (oral) 7,363.80 mg/kg
ATEmix (dermal) 2,974.00 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity
Toxic to aquatic life with long lasting effects.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Petroleum Distillates, Hydrotreated light 64742-47-8		LC50: =45mg/L (96h, Pimephales promelas) LC50: =2.2mg/L (96h, Lepomis macrochirus) LC50: =2.4mg/L (96h, Oncorhynchus mykiss)	
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7		LC50: >5000mg/L (96h, Oncorhynchus mykiss)	EC50: >1000mg/L (48h, Daphnia magna)
Naphtha, petroleum, hydrotreated light 64742-49-0		LC50: =8.41mg/L (96h, Oncorhynchus mykiss)	

Persistence/Degradability
Not determined.

Bioaccumulation
There is no data for this product.

Mobility
Not determined

Other adverse effects
Not determined

13. DISPOSAL CONSIDERATIONS

Disposal methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
This product ships Ground as Limited QTY.

DOT
UN/ID No UN1950
Proper Shipping Name Aerosols
Transport hazard class(es) 2.2

IATA

UN number or ID number	UN1950
Proper Shipping Name	Aerosols, non-flammable
Transport hazard class(es)	2.2

IMDG

UN number or ID number	UN1950
Proper Shipping Name	Aerosols
Transport hazard class(es)	2.2

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELINCS	ENCS	IECSC	KECL	PICCS	AIIC
Petroleum Distillates, Hydrotreated light	X	ACTIVE	X	X		X	X	X	X
Petroleum distillates, hydrotreated heavy paraffinic	X	ACTIVE	X	X		X	X	X	X
Naphtha, petroleum, hydrotreated light	X	ACTIVE	X	X		X	X	X	X
Carbon dioxide	X	ACTIVE	X	X	X	X	X	X	X

Legend:

TSCA *- United States Toxic Substances Control Act Section 8(b) Inventory*

DSL/NDSL *- Canadian Domestic Substances List/Non-Domestic Substances List*

EINECS/ELINCS *- European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*

ENCS *- Japan Existing and New Chemical Substances*

IECSC *- China Inventory of Existing Chemical Substances*

KECL *- Korean Existing Chemicals Inventory*

PICCS *- Philippines Inventory of Chemicals and Chemical Substances*

AICS *- Australian Inventory of Chemical Substances*

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Carbon dioxide 124-38-9	X	X	X

16. OTHER INFORMATION

NFPA	**Health hazards** -	**Flammability** -	**Instability** -	**Special hazards** -
HMIS	**Health hazards** -	**Flammability** -	**Physical hazards** -	**Personal protection** -

Issue Date: 15-Jul-2026
Revision Date: 15-Jul-2026
Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet